

**CHARTER TOWNSHIP OF INDEPENDENCE
BUILDING DEPARTMENT
MICHIGAN UNIFORM ENERGY CODE
ZONE # 1**

N1101.2. Compliance. Compliance with the code shall be demonstrated by meeting the requirements of the applicable sections and tables of the code. Where applicable, provisions are based on the climate zones where the building is located. The climate zone assignments are as set forth in table N1101.2 for the county in which the building is constructed. The permit application shall determine the method used to achieve compliance with the provisions of the code at the time of application for permit.

N1101.2.1 Detached 1-and-2 family dwellings. Compliance shall be demonstrated by 1 of the following:

- 1. Meeting the requirements of the code.
- 2. Meeting the requirements of the International Energy Conservation Code for detached 1- and-2 family dwellings.
- 3. Meeting the design, construction and certification requirements under the US EPA Energy Star Homes Program.
- 4. Meeting the design and construction requirements in conformance with the national Home Energy Rating System (HERS) guidelines, with the score of 83 or better. A certificate indicating the score prepared by an accredited agency shall be filed with the code official. R408.31060

Percent of openings in wall envelope _____

	Required	Proposed
R Value Walls	R-21	_____
R Value Roof/Ceiling	R-49	_____
• R Value Windows, Doors, Skylights	U=0.35 (R=2.85)	_____
R Value Crawl Space	R-20	_____
R Value Floors Over Unconditioned Spaces	R-21	_____
R Value Slab on Grade Floors	R-10 for 4'	_____
R Value Basement Walls	R-11	_____

- Provide U & R factor reports certified by the manufacturer. All windows, doors and skylights must be labeled and certified.

PROJECT ADDRESS: _____ **DATE:** _____